

TECHNICAL PRODUCT SHEET

i8v



UV3 - Hybrid



48 LAMPS

Ultrasun i8V



View on our website

Revive | Shape | Tan

Standard equipped with

- Age Control
 - Bluetooth*
 - Electronic Ballasts
 - Handles
 - Hybrid Lamps
 - IQ Touch Control
 - LED Colour Control
 - Salon Music*
 - SoundBoost
 - TopCooler
 - VibraPlate
 - Voice Guide*
 - Wellness Sound*
- *Part of Full Audio Module*

Additional options

- Airco
- Changing Cubicle
- Aroma & Breeze

Available Colors



Dream White Metallic



Xtreme Orange Metallic



** Maintain 10-15 cm clearance around the device for air circulation.

Lamp Specifications UV3

Top Lamps:	36 x Sunfit XXL3 200W E-Tronic 200 cm
	12 x Sunfit CollaTan XXL3 200W E-Tronic 200 cm
Max. session time:	20 minutes

Any queries?
Please call Helionova
on 01603 789 010

Technical and Electrical Specifications



	THREE PHASE	SINGLE PHASE
Socket requirement:	32A/phase TPN&E	63A
Socket type:	Female Commando Socket	Female Commando Socket
Trip size:	32A/phase - C-type	50A - C-type
Power consumption:	9,400W (10,400W with airco)	9,400W (10,400W with airco)



Ventilation:	1 x 100 mm	Air extraction hose:	included
---------------------	------------	-----------------------------	----------


Weight and Dimensions

All dimensions in mm. Between brackets in inches.



Net weight: 250 kg

Net weight + airco: 290 kg



Hyperion House, Alston Road 01603 789010
Norwich, Norfolk, NR6 5DS sales@helionova.co.uk
United Kingdom helionova.co.uk



© 2025 Ultrasun International B.V. Product images may differ slightly from reality.
Changes in specifications and design as well as printing and typographical errors are reserved.