




ULTRASUN
RECHARGE YOURSELF

Q10

2024



Product Leaflet

LAMP SPECIFICATIONS

Q10 MAGNUM POWER NON-EU | UV4

| | |
|-----------------------|--|
| Top Lamps | 22 x Sunfit VRX 160W E-Tronic 176 cm |
| Base Lamps | 16 x Sunfit XL 120W E-Tronic 190 cm |
| Facial Lamps | 3 x Sunfit WL 500W High-Pressure |
| Shoulder lamps | 5 x Sunfit S 25W |
| Maximum exposure time | 15 minutes |

EU | UV3

| | |
|-----------------------|---|
| Top Lamps | 22 x Sunfit VRX3 120W E-Tronic 176 cm |
| Base Lamps | 16 x Sunfit XL3 120W E-Tronic 190 cm |
| Facial Lamps | 3 x Sunfit WL 500W High-Pressure |
| Shoulder lamps | 5 x Sunfit S 25W |
| Maximum exposure time | 20 minutes |

Q10 HIGH POWER NON-EU | UV4

| | |
|-----------------------|--|
| Top Lamps | 22 x Sunfit RXL 120W E-Tronic 190 cm |
| Base Lamps | 16 x Sunfit XL 120W E-Tronic 190 cm |
| Facial Lamps | - |
| Shoulder lamps | 5 x Sunfit S 25W |
| Maximum exposure time | 15 minutes |

EU | UV3

| | |
|-----------------------|---|
| Top Lamps | 22 x Sunfit RXL3 120W E-Tronic 190 cm |
| Base Lamps | 16 x Sunfit XL3 120W E-Tronic 190 cm |
| Facial Lamps | - |
| Shoulder lamps | 5 x Sunfit S 25W |
| Maximum exposure time | 20 minutes |

TECHNICAL SPECIFICATIONS

Q10 MAGNUM POWER

| | |
|-----------------------|---------------------------------|
| Power supply | 3 x 400V + N + PE 50/60 Hz |
| Plug and cable | 16A CEE 5 x 2,5 mm ² |
| Power | 7.500W |
| Breaker/fuse (slow) | 3 x 16A |
| Minimum net weight | 225 kg |
| Minimum crated weight | 285 kg |
| Boxed dimensions | 233 x 126 x 131 cm |

Q10 HIGH POWER

| | |
|-----------------------|---------------------------------|
| Power supply | 3 x 400V + N + PE 50/60 Hz |
| Plug and cable | 16A CEE 5 x 2,5 mm ² |
| Power | 5.100W |
| Breaker/fuse (slow) | 3 x 16A |
| Minimum net weight | 205 kg |
| Minimum crated weight | 260 kg |
| Boxed dimensions | 233 x 126 x 131 cm |

AVAILABLE COLORS



Dream White
Metallic

STANDARD FEATURES



Age Control



Air Extraction Hose



Bluetooth



Body Cooler



Electronic Ballasts



IQ Touch Control



Music Pro



Rainbow Manager



Shoulder Tanner



Voice Guide




Wellness Sound



PayTronic

ADDITIONAL FEATURES



131 cm



228 cm

135 cm

DIMENSIONS LxWxH

| | |
|-------------|--------------------|
| Open Q10: | 228 x 131 x 135 cm |
| Closed Q10: | 228 x 108 x 131 cm |

* When placing the Ultrason Q10 make sure that the device is surrounded by 10-15 centimetres of free space for air circulation.
* The dimensions indicate an open Ultrason Q10.



+31 (0)74 2912215



info@ultrasuninternational.com



UltrasunInternational.com



Granatstraat 6
7554 TR Hengelo
The Netherlands