




ULTRASUN
RECHARGE YOURSELF

Q14

2024



Product Leaflet

LAMP SPECIFICATIONS

Q14 MAGNUM POWER NON-EU | UV4

Top Lamps	22 x Sunfit VRX 160W E-Tronic 176 cm
Base Lamps	18 x Sunfit VX 180W E-Tronic 190 cm
Facial Lamps	3 x Sunfit WL 500W High-Pressure
Shoulder lamps	5 x Sunfit S 25W
Maximum exposure time	15 minutes

EU | UV3

Top Lamps	22 x Sunfit VRX3 160W E-Tronic 176 cm
Base Lamps	18 x Sunfit VX3 180W E-Tronic 190 cm
Facial Lamps	3 x Sunfit WL 500W High-Pressure
Shoulder lamps	5 x Sunfit S 25W
Maximum exposure time	20 minutes

Q14 HIGH POWER NON-EU | UV4

Top Lamps	22 x Sunfit RXL 120W E-Tronic 190 cm
Base Lamps	18 x Sunfit XL 120W E-Tronic 190 cm
Facial Lamps	-
Shoulder lamps	5 x Sunfit S 25W
Maximum exposure time	15 minutes

EU | UV3

Top Lamps	22 x Sunfit RXL3 120W E-Tronic 190 cm
Base Lamps	18 x Sunfit XL3 120W E-Tronic 190 cm
Facial Lamps	-
Shoulder lamps	5 x Sunfit S 25W
Maximum exposure time	20 minutes

TECHNICAL SPECIFICATIONS

Q14 MAGNUM POWER

Power supply	3 x 400V + N + PE 50/60 Hz
Plug and cable (+airco)	16A CEE 5 x 2,5 mm ² (32A CEE 5 x 4 mm ²)
Power (+airco)	8.500W (9.500W)
Breaker/fuse (slow) (+airco)	3 x 16A (3 x 25A)
Minimum net weight ¹ (+airco)	270 kg (310 kg)
Minimum crated weight ¹ (+airco)	335 kg (375 kg)
Boxed dimensions	233 x 126 x 145 cm

Q14H HIGH POWER



Power supply	3 x 400V + N + PE 50/60 Hz
Plug and cable	16A CEE 5 x 2,5 mm ²
Power (+airco)	5.400W (6.400W)
Breaker/fuse (slow)	3 x 16A
Minimum net weight ¹ (+airco)	225 kg (265 kg)
Minimum crated weight ¹ (+airco)	290 kg (330 kg)
Boxed dimensions	233 x 126 x 145 cm

¹ Minimum weight is based on an Ultrasun Q14 with standard configuration. Machine specific weight information available on request.

STANDARD FEATURES



ADDITIONAL FEATURES



AVAILABLE COLORS




Dream White
Metallic

Fancy Red
Metallic

DIMENSIONS LxWxH

Open Q14:	232 x 152 x 148 cm
Closed Q14:	232 x 138 x 124 cm

* When placing the Ultrasun Q14 make sure that the device is surrounded by 10-15 centimetres of free space for air circulation.
* The dimensions indicate an open Ultrasun Q14.



+31 (0)74 2912215



info@ultrasuninternational.com



UltrasunInternational.com



Granatstraat 6
7554 TR Hengelo
The Netherlands