




Q18

2024



Product Leaflet

LAMP SPECIFICATIONS

Q18 MAGNUM POWER
NON-EU | UV4

Top Lamps	25 x Sunfit VRX 160W E-Tronic 176 cm
Base Lamps	20 x Sunfit VX 180W E-Tronic 190 cm
Facial Lamps	4 x Sunfit WL 500W High-Pressure
Shoulder lamps	6 x Sunfit S 25W
Maximum exposure time	15 minutes

EU | UV3

Top Lamps	25 x Sunfit VRX3 160W E-Tronic 176 cm
Base Lamps	20 x Sunfit VX3 180W E-Tronic 190 cm
Facial Lamps	4 x Sunfit WL 500W High-Pressure
Shoulder lamps	6 x Sunfit S 25W
Maximum exposure time	20 minutes

Q18 HIGH POWER
NON-EU | UV4

Top Lamps	25 x Sunfit RXL 120W E-Tronic 190 cm
Base Lamps	20 x Sunfit XL 120W E-Tronic 190 cm
Facial Lamps	-
Shoulder lamps	6 x Sunfit S 25W
Maximum exposure time	15 minutes

EU | UV3

Top Lamps	25 x Sunfit RXL3 120W E-Tronic 190 cm
Base Lamps	20 x Sunfit XL3 120W E-Tronic 190 cm
Facial Lamps	-
Shoulder lamps	6 x Sunfit S 25W
Maximum exposure time	20 minutes

TECHNICAL SPECIFICATIONS

Q18 MAGNUM POWER

Power supply	3 x 400V + N + PE 50/60 Hz
Plug and cable	32A CEE 5 x 4 mm²
Power	11.400W
Breaker/fuse (slow)	3 x 25A
Minimum net weight¹	450kg
Minimum crated weight¹	495 kg
Boxed dimensions	235 x 141 x 172 cm

Q18 HIGH POWER

Power supply	3 x 400V + N + PE 50/60 Hz
Plug and cable	16A CEE 5 x 2,5 mm²
Power	8.500W
Breaker/fuse (slow)	3 x 16A
Minimum net weight¹	420 kg
Minimum crated weight¹	470 kg
Boxed dimensions	235 x 141 x 172 cm

¹ Minimum weight is based on an Ultrasun Q18 with standard configuration. Machine specific weight information available on request.

STANDARD FEATURES

Age Control

Airco

Air Extraction Hose

Bluetooth

Body Cooler

Body Shaped Acrylic

Electronic Ballasts

IQ Touch Control

Music Pro

Rainbow Manager

Shoulder Tanner

Voice Guide


Wellness Sound

ADDITIONAL FEATURES

Breeze

Aroma

PayTronic



AVAILABLE COLORS




Dream White
Metallic

DIMENSIONS LxWxH

Open Q18:	247 x 148 x 165 cm
Closed Q18:	247 x 123 x 135 cm

* When placing the Ultrasun Q18 make sure that the device is surrounded by 10-15 centimetres of free space for air circulation.
* The dimensions indicate an open Ultrasun Q18.



+31 (0)74 2912215

info@ultrasuninternational.com



UltrasunInternational.com



Granaatstraat 6
7554 TR Hengelo
The Netherlands