



ULTRASUN E7

TECHNICAL DETAILS

Total Lamps	48 x Sunfit XXL3 200W E-Tronic 200cm
Max. Session Time	15 Minutes
Power Consumption	9.100 W

**ANY QUERIES? PLEASE CALL
HELIONOVA ON 01603 789 010**

*Length = Door open dimension
Width = Door closed dimension
Height = Floor to ceiling*

DIMENSIONS (OPEN)



COLOUR OPTIONS



Dream White
Metallic



Fancy Red
Metallic



Mystic Grey

Changing Cubicle also available.

VENTILATION

1 x 100 mm

STANDARD EQUIPPED WITH



Solar
Control



Electronic
Ballasts



TopCooler



Interior
Moodlight



Air
Extraction
Hose



Bluetooth

ADDITIONAL OPTIONS



Handles



Changing
Cubicle

ELECTRICAL REQUIREMENTS

Three Phase Supply

Socket Requirement	16 amps per phase TPN&E. Female commando socket
Trip Size	16 amps per phase C Type


Single Phase Supply

Socket Requirement	63 amp. Female commando socket
Trip Size	50 amp. C Type



Changes in prices, technical specifications and design are reserved | 01-01-2024 | V1

DIMENSIONS



All dimensions in mm.
Between brackets in inches.