


TECHNICAL PRODUCT SHEET

Q6



UV3



34 LAMPS

Ultrasun Q6

Compact + Stylish



View on our website

Standard equipped with



Age Control



Bluetooth*



BodyCooler



Electronic
Ballasts



Facial Lamps



IQ Touch
Control



LED Colour
Control



Salon Music*



SoundBoost



Voice Guide*



Wellness Sound*

**Part of Full Audio Module*

Additional options



Hybrid Lamps

Available Colors



Dream White Metallic



Fancy Red Metallic



**** Maintain 10-15 cm clearance around the device for air circulation.**

Lamp Specifications UV3

Top Lamps:	16 x Sunfit VRX3 160W E-Tronic 176 cm
Base Lamps:	16 x Sunfit XL3 120W E-Tronic 190 cm
Facial Lamps:	2 x Sunfit WL500W High-Pressure
Max. session time:	20 minutes

Any queries?
Please call Helionova
on 01603 789 010




Technical and Electrical Specifications

	THREE PHASE	SINGLE PHASE
Socket requirement:	16A/phase TPN&E	32A
Socket type:	Female Commando Socket	Female Commando Socket
Trip size:	16A/phase - C-type	32A - C-type
Power consumption:	5,700W	5,700W





Weight and Dimensions

All dimensions in mm. Between brackets in inches.



Net weight: 200 kg



Hyperion House, Alston Road 01603 789010
 Norwich, Norfolk, NR6 5DS sales@helionova.co.uk
 United Kingdom helionova.co.uk