



ULTRASUN i8

TECHNICAL DETAILS

Total Lamps	48 x Sunfit XXL3 200W E-Tronic 200cm
Max. Session Time	15 Minutes
Power Consumption	9.400 W (10.400 with airco)

**ANY QUERIES? PLEASE CALL
HELIONOVA ON 01603 789 010**

*Length = Door open dimension
Width = Door closed dimension
Height = Floor to ceiling*

DIMENSIONS (OPEN)



COLOUR OPTIONS



Dream White
Metallic



Xtreme Orange
Metallic

Changing Cubicle also available.

VENTILATION

1 x 100 mm

STANDARD EQUIPPED WITH



IQ Touch
Control



Age
Control



Electronic
Ballasts



TopCooler



Air
Extraction
Hose



Handles



Music Pro



Wellness
Sound



Voice
Guide



Bluetooth



Rainbow
Manager

ADDITIONAL OPTIONS



Breeze

+



Aroma



VibraPlate



Airco



Changing
Cubicle

ELECTRICAL REQUIREMENTS

Three Phase Supply

Socket Requirement 32 amps per phase TPN&E. Female commando socket

Trip Size 32 amps per phase C Type

Single Phase Supply

Socket Requirement 63 amp. Female commando socket

Trip Size 50 amp. C Type



Changes in prices, technical specifications and design are reserved | 01-01-2024 | V1

DIMENSIONS

